•	
15	
-	

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
Ll .	156	703/21.ccor.	US-PGPUB; USPAT	OR	ON	2005/04/25 18:24
L2	301	703/22.ccor.	US-PGPUB; USPAT	OR	ON	2005/04/25 18:24
L3	37	717/135.ccor.	US-PGPUB; USPAT	OR	ON	2005/04/25 18:24
L4	675	709/226.ccor.	US-PGPUB; USPAT	OR	ON	2005/04/25 18:24
L5	368	718/104.ccor.	US-PGPUB; USPAT	OR	ON	2005/04/25 18:24
L6	826815	constraint coupling	US-PGPUB; USPAT	OR	ON	2005/04/25 18:24
L7	511813	L6 and @ad<="19991013"	US-PGPUB; USPAT	OR	ON	2005/04/25 18:24
L8	686	distributed same software same alloca\$4	US-PGPUB; USPAT	OR	ON	2005/04/25 18:24
L9	103	L7 and L8	US-PGPUB; USPAT	OR	ON	2005/04/25 18:24
L10	25	L9 and interleav\$4	US-PGPUB; USPAT	OR	ON	2005/04/25 18:24
LH	14	L10 and component	US-PGPUB; USPAT	OR .	ON	2005/04/25 18:24
L12	11538	L7 and interleav\$4	US-PGPUB; USPAT	OR <sub>.</sub>	ON	2005/04/25 18:24
L13	8130	L12 and component	US-PGPUB; USPAT	OR .	ON	2005/04/25 18:24
L14	1575	L13 and control and data and peripheral	US-PGPUB; USPAT	OR	ON	2005/04/25 18:24
L15	565	L14 and partition\$4	US-PGPUB; USPAT	OR	ON	2005/04/25 18:24
L16	403	L15 and allocat\$4	US-PGPUB; USPAT	OR	ON	2005/04/25 18:24
L17	296	L16 and resource	US-PGPUB; USPAT	OR	ON	2005/04/25 18:24
L18	223	L17 and model\$4	US-PGPUB; USPAT	OR	ON	2005/04/25 18:24
L19	194	L18 and segment	US-PGPUB; USPAT	OR	ON	2005/04/25 18:24
L20	124	L19 and latency	US-PGPUB; USPAT	OR	ON	2005/04/25 18:24
L21	51	L20 and bottleneck	US-PGPUB; USPAT	OR	ON	2005/04/25 18:24

		Results
12.	((((((((((((((((((((((((((((((((((((((	5
11.	((((((((((((((((((((((((((((((((((((((	15
10.	((((((((((((((((((((((((((((((((((((((	37
9.	((((((((((((((((((((((((((((((((((((((	72
8.	(((((((pub-date > 1959 and pub-date < 2000 and FULL-TEXT((constraint or coupling)) and FULL-TEXT(interleav!)) and component) and distributed) and partition!) and allocat!) and software) and resource) and model! [All Sources(- All Sciences -)]	74
7.	((((((pub-date > 1959 and pub-date < 2000 and FULL-TEXT((constraint or coupling)) and FULL-TEXT(interleav!)) and component) and distributed) and partition!) and allocat!) and software) and resource [All Sources(- All Sciences -)]	78
6.	(((((pub-date > 1959 and pub-date < 2000 and FULL-TEXT((constraint or coupling)) and FULL-TEXT(interleav!)) and component) and distributed) and partition!) and allocat!) and software [All Sources(- All Sciences -)]	103
5.	((((pub-date > 1959 and pub-date < 2000 and FULL-TEXT((constraint or coupling)) and FULL-TEXT(interleav!)) and component) and distributed) and partition!) and allocat! [All Sources(- All Sciences -)]	132
4.	(((pub-date > 1959 and pub-date < 2000 and FULL-TEXT((constraint or coupling)) and FULL-TEXT(interleav!)) and component) and distributed) and partition!  [All Sources(- All Sciences -)]	333
3.	((pub-date > 1959 and pub-date < 2000 and FULL-TEXT((constraint or coupling)) and FULL-TEXT(interleav!)) and component) and distributed [All Sources(- All Sciences -)]	993
2.	(pub-date > 1959 and pub-date < 2000 and FULL-TEXT((constraint or coupling)) and FULL-TEXT(interleav!)) and component [All Sources(- All Sciences -)]	2097
۱.	pub-date > 1959 and pub-date < 2000 and FULL-TEXT((constraint or coupling)) and FULL-TEXT(interleav!) [All Sources(- All Sciences -)]	2959

Copyright © 2005 <u>Elsevier B.V.</u> All rights reserved. ScienceDirect® is a registered trademark of Elsevier B.V.

CiteSeer Find: (constraint or coupling) and compoi

Searching for (constraint or coupling) and component and interleave.

Restrict to: <u>Header Title</u> Order by: <u>Expected citations Hubs Usage Date</u> Try: <u>Google (CiteSeer)</u> <u>Google (Web)</u>

Yahoo! MSN CSB DBLP

14 documents found. Order: number of citations.

An Automata-Theoretic Approach to Presburger Arithmetic... - Wolper, Boigelot (1995) (Correct) (21 citations)
Approach to Presburger Arithmetic Constraints (Extended Abstract) Pierre Wolper and Bernard
has the nature of a space partitioning algorithm coupled with backtracking. Furthermore, the algorithm
a vector of integers, we encode each of the component integers with an identical number of bits. A
www.montefiore.ulg.ac.be/~boigelot/research/WB95.ps.gz

One or more of the query terms is very common - only partial results have been returned. Try Google (CiteSeer).

<u>Linear-Time Rule Induction - Domingos (Correct) (10 citations)</u> process large numbers of examples, under the **constraint** of still achieving good accuracy. If e is the When there are no numeric attributes, C4.5, the **component** that induces decision trees, has complexity has already been induced. An alternative is to **interleave** the construction of all rules, evaluating each www.gia.ist.utl.pt/~pedrod/kdd96a.ps.gz

Design and Performance of an Assertional Concurrency.. - Bernstein, Gerstl.. (1998) (Correct) (7 citations) the system quiesces, the database consistency **constraint** is true. We described a two-level concurrency to servers or lists, or to reuse any copyrighted **component** of this work in other works, must be obtained The steps of concurrent transactions are **interleaved** at run time. Since locks are held for shorter www.cs.sunysb.edu/~artproj/ACC.ps

Interactive Resource Allocation by Problem Decomposition. - Choueiry, Faltings (1994) (Correct) (5 citations) problem can be expressed as a discrete **Constraint** Satisfaction Problem (CSP)29]A **constraint** allocation problem into easy and difficult **components** interacting through abstracted pools of missing resources. We propose an algorithm that **interleaves** these processes. The main advantages of our liaftp.epfl.ch/lia/Choueiry-93b.ps

Proof Linking: Modular Verification of Mobile Programs in the.. - Fong, Cameron (1999) (Correct) (4 citations) we prefer strategies with fewer ordering constraints so long as the correctness conditions hold. 4 particularly for classes with strong static coupling but weak dynamic coupling. The above analysis mobile code verifier as an individual engineering component, independent of the loading and linking www.cs.sfu.ca/people/GradStudents/pwfong/personal/Pub/SFU-CMPT-TR-1999-02.ps

Configurable, Mixed-Initiative Systems for Planning and.. - Stephen Smith (1996) (Correct) (3 citations) scheduling problems. This leads to a particular **constraint**-based solution framework, and a specific solving methods support only "over the wall" **coupling**, resulting in delayed detection of downstream on these ideas. We summarize basic architectural **components**, including libraries of **constraint** and domain www.ri.cmu.edu/pub\_files/pub1/smith\_stephen\_1996\_1/smith\_stephen\_1996\_1.ps.gz

A three--tiered Confidence Model for Revising Logical Theories - Irene Weber (1994) (Correct) (3 citations) it consistent. Even if we use the additional **constraint** that the theory should be changed minimally, model is part of a theory specialization **component** of the modular inductive logic programming In contrast, incremental systems like MOBAL **interleave** construction and application of the theory. www.informatik.uni-stuttgart.de/ifi/is/Personen/Irene/ilp94.ps.gz

The Algebraic Specification Language LOTOS: An Industrial .. - Logrippo, Melanchuk, Wors (1990) (Correct) (3 citations) monolithic, state-oriented, resource-oriented nd constraint-oriented. In monolithic style ,t on algebraic concepts. LOTOS is made up o wo components: a data type component, which is based ,a on on all ates)parallel execution in interleave)hide (hiding d [of gates)sequential lotos.csi.uottawa.ca/ftp/pub/Lotos/Papers/formesode.90.ps.Z

<u>Deterministic expressions in C - Norrish (1999) (Correct) (2 citations)</u> we have shown that the semantics' additional **constraints** actually result in a large class of C

To do this, Cholera keeps track of three state **components**: the pending side effects those parts issues such as whether or not function calls may **interleave** are debated. In addition to defining the www.cl.cam.ac.uk/users/mn200/research/../PhD/deterministic-expressions.ps.gz

An Accelerated Interior Point Method Whose Running Time Depends .. - Vavasis, Ye (1993) (Correct) (1 citation) of the feasible region defined by these **constraints**. The solid line is the central path, which is O(j log fflj) iterates. Note that ffl is a **component** of right-hand side vector c this explains why obtain a global minimum. In our new method, we **interleave** small steps with longer layered least squares ftp.cs.cornell.edu/pub/vavasis/papers/accel-ip.ps.Z

AutoFocus on Constraint Logic Programming - Lötzbeyer, Pretschner (2000) (Correct)
Proc. Constraint) Logic Programming and Software Engineering
share the commonality of synchronizing components via variables rather than explicit channels
www4.in.tum.de/~pretschn/private/../papers/lpse00.ps.gz

Research Projects for Graduate Students - Frisch (Correct)

natural language processing, logic programming, **constraint** satisfaction and optimisation, inductive Such methods are likely to form a vital **component** in the next generation of **constraint** This project also will consider algorithms that **interleave** the generation of implied **constraints** with the www-users.cs.york.ac.uk/~frisch/students-wanted.ps

Program Understanding: A Constraint Satisfaction Modeling. - Woods, Yang, al. (1995) (Correct) Program Understanding: A Constraint Satisfaction Modeling Framework Understanding cs-archive.uwaterloo.ca/cs-archive/CS-95-52/CS95-52.ps.Z

A Primal-Dual Accelerated Interior Point Method Whose Running.. - Vavasis, Ye (1994) (Correct) of the feasible region defined by these **constraints**. The solid line is the central path, which is O(j log fflj) iterations. Note that ffl is a **component** of right-hand side vector c this explains why obtain an exact optimum. In our new method, we **interleave** small steps with longer layered leastsquares ftp.cs.cornell.edu/pub/vavasis/papers/accel-pd.ps.Z

Try your query at: Google (CiteSeer) Google (Web) Yahoo! MSN CSB DBLP

CiteSeer.IST - Copyright Penn State and NEC

CiteSeer Find: (constraint or coupling) and compo

**Documents** 

Citations

Searching for (constraint or coupling) and component and partition and allocation and resource.

Restrict to: Header Title Order by: Expected citations Hubs Usage Date Try: Google (CiteSeer) Google (Web)

Yahoo! MSN CSB DBLP

15 documents found. Order: number of citations.

<u>Virtual Wires: Overcoming Pin Limitations in FPGA-based.. - Babb, Tessier, Agarwal (1993) (Correct) (49 citations)</u> greater that the available FPGA resources. This constraint yields the following possible scenarios for as nearest-neighbor)Nearest-neighbor topologies, coupled with the ability of virtual wires to overlap for these systems is considered the most complex **component** and comprises a major portion of system costs. ftp.cag.lcs.mit.edu/virtual wires/fccm93.ps.Z

One or more of the guery terms is very common - only partial results have been returned. Try Google (CiteSeer).

A Computational Market Model for Distributed Configuration Design - Wellman (1995) (Correct) (33 citations) parts that can perform that function. A set of constraints, R, dictating the allowable part combinations each agent is concerned with a subset of the components or functions of the artifact being designed, consist of parts C i ,where C 1 ,C m is a partition of P .A catalog design includes at most one linux.eecs.umich.edu/.5/people/wellman/aiedam95.ps.Z

A Resource-Based Prioritized Bisimulation for Real-Time Systems - Gerber, Lee (1992) (Correct) (20 citations) a solitary event from one of the processes. This constraint quite naturally leads to an interleaving notion term may consist of at most one event from each component resource. Here, p(Sigma)denotes the set of R. This notion of execution leads to a natural partition of \Sigma \Gamma f p g into mutually disjoint ftp.cs.umd.edu/pub/realtime/i and c.ps.gz

System-Level Synthesis Using Evolutionary Algorithms - Blickle, Teich, Thiele (1996) (Correct) (8 citations) set of implementations that satisfy a number of constraints on cost and performance. Existing operations with non-deterministic delays. Tightly coupled with the class of input specifications is the or [Gupta and Micheli, 1992] one programmable component and multiple hardware modules communicating ftp.tik.ee.ethz.ch/pub/people/thiele/paper/btt96a.ps.gz

Optimal Temporal Partitioning and Synthesis for Reconfigurable .. - Kaul, Vemuri (1998) (Correct) (7 citations) on the FPGA devices) should be treated as a constraint which must be satisfied by every temporal logic blocks and function generators. We assume a component li- Heuristic temporal partition estimator Optimal Temporal Partitioning and Synthesis for Reconfigurable www.ececs.uc.edu/~ddel/projects/sparcs/Papers/date98.ps

Toward the Design Quality Evaluation of Object-Oriented. - Abreu, Goulão, Esteves (1995) (Correct) (6 citations) Factor (AIF) Polymorphism Factor (PF) Coupling Factor (CF) Each of those metrics refers to a with minor or major adaptations (from existing component libraries) must also be evaluated, along with alternatives are often available for the same partition of the system being modeled, design would albertina.inesc.pt/ftp/pub/esw/mood/MoodPage/../PAPERS/US\_LETTER/icsq95.ps

On the Role of Connectors in Modeling and Implementing.. - Oreizy, Rosenblum.. (1998) (Correct) (4 citations) for the communications, and architectural constraints on component composition. On the Role of at the same time. Extensibility-The loose coupling between the components afforded by the organization of functionality into components and on the explicit representation and www.ics.uci.edu/~peymano/papers/TR-UCI-ICS-98-04.pdf

A Hardware-Software Cosynthesis Technique Based on Heterogeneous.. - Oh, Ha (1999) (Correct) (3 citations) determine the optimal architecture within design constraints. However, there is a significant gap in the a significant gap in the way of dealing hardware components. An SOC research considers many implementation of each task should be selected. z Partitioning and scheduling: partition the input tasks mirage.snu.ac.kr/publications/./papers/codes99.pdf

The NuMesh: A Modular, Scalable Communications Substrate - Ward, Abdalla, Dujari.. (1993) (Correct) (3 citations) rigidly constrained and highly optimized. These constraints allow performance parameters for non-local

within heterogeneous networks. We view the coupling of communication substrates with processor to construct systems without redesigning every component. However, despite the wide acceptance of buses, ftp.cag.lcs.mit.edu/pub/numesh/published/ics93.ps.Z

Distributed Constraint Satisfaction Problems - A Model .. - Solotorevsky, Gudes.. (1997) (Correct) (2 citations) Manufactured in The Netherlands. Distributed Constraint Satisfaction Problems -A Model and ftp.cs.bgu.ac.il/pub/people/am/DCSP Modl Apps.ps.Z

The Design of Eiffel Programs: Quantitative Evaluation.. - Abreu, Esteves, Goulão (1996) (Correct) (2 citations) Factor (AIF)Polymorphism Factor (POF) and Coupling Factor (COF)These metrics are defined at the with minor or major adaptations, from existing component libraries. Selecting, understanding and alternatives are often available, for the same partition of the system being modeled. A great benefit albertina.inesc.pt/ftp/pub/esw/mood/MoodPage/../PAPERS/US LETTER/tools96.ps

Collective Problem Solving through Coordination in a Society of.. - Liu (1994) (Correct) (1 citation) Abstract We present a methodology, called Constraint Partition and Coordinated Reaction (CP&CR) www.ri.cmu.edu/pub\_files/pub1/liu\_jyi\_shane\_1994\_1/liu\_jyi\_shane\_1994\_1.ps.gz

Techniques for Automating Distributed Real-Time.. - Kang, Gerber.. (1999) (Correct) In fact, meeting the end-to-end latency constraints is as important as throughput, since metrics are rechecked by simulation. The per-component load reservations can then be increased and the the overall process of parallelization and task partitioning. The scheduling synthesis problem is to find ftp.cs.umd.edu/pub/realtime/hpdc.ps.qz

Using a Global Event Model in Developing Distributed Control.. - Adam Rifkin (Correct) these local decisions maintain some system-wide constraints)We present several applications of such architectural style for distributed, loosely-coupled, heterogeneous software system development [20] for distributed control systems in which the component objects do not have access to the state of the www.cs.caltech.edu/~adam/papers/gem/gem.ps

Isaac: Building Simulations for Virtual Environments - Cremer, Vanecek (1994) (Correct) formulate motion equations and kinematic constraints, and then numerically integrate them over kinematic constraint will be added. This equation couples the two previously independent sets of In the next section, we introduce the basic components of Isaac, Section 3 presents some historical www.cs.uiowa.edu/~cremer/papers/ifip-proceedings.ps.gz

Try your query at: Google (CiteSeer) Google (Web) Yahoo! MSN CSB DBLP

CiteSeer.IST - Copyright Penn State and NEC



Home | Login | Logout | Access Information | Alerts | Sitemap | Help

## Welcome United States Patent and Trademark Office

☐ Search Results

**BROWSE** 

**SEARCH** 

**IEEE XPLORE GUIDE** 

**SUPPORT** 

☑e-mail 🚇 printer triendly

Results for "(((((constraint<or>coupling)<and>interleav\*<and>partition) <and> (pyr >= 1951 <and> pyr <= 1999)) <and> ((allocat\*<and>component<and>resource) <and> (pyr >= 1951 <and> pyr <= 1999))) <and> ((distributed<and>target<and>data<and>control) <and> (pyr >= 1951 <and> pyr <= 1999))) <and> ((strength<and>task<and>latency<and>frequency) <and> (pyr >= 1951 <and> pyr <= 1999))" Your search matched 10 of 1152881 documents.

New Sea	<u>rch</u>	Modi	Modify Search				
» Key		(((((co	((((((constraint <or>coupling)<and>interleav*<and>partition) <and> (pyr &gt;= 1951 <and>&gt;&gt;</and></and></and></and></or>				
IEEE JNL IEEE Journal or Magazine		Check to search only within this results set					
IEE JNL	IEE Journal or Magazine	Display Format:   Citation C Citation & Abstract					
IEEE CNF	IEEE Conference Proceeding	Select	Article Information				
IEE CNF	IEE Conference Proceeding		1. IEEE recommended practice for futurebus+. IEEE Std 896.3-1993				
IEEE STD	IEEE Standard		25 July 1994 Page(s):i <u>AbstractPlus</u>   Full Text: <u>PDF(</u> 13404 KB) IEEE STD				
			<ol> <li>On the applications of multimedia processing to communications         Cox, R.V.; Haskell, B.G.; LeCun, Y.; Shahraray, B.; Rabiner, L.;         Proceedings of the IEEE         Volume 86, Issue 5, May 1998 Page(s):755 - 824</li> </ol>				
			AbstractPlus   References   Full Text: PDF(1320 KB) IEEE JNL				
			3. IEEE standard glossary of computer hardware terminology IEEE Std 610.10-1994 12 Oct. 1995				
		•	AbstractPlus   Full Text: PDF(7708 KB) IEEE STD				
			<ol> <li>Optimizing power using transformations         Chandrakasan, A.P.; Potkonjak, M.; Mehra, R.; Rabaey, J.; Brodersen, R.W.;         Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions or Volume 14, Issue 1, Jan. 1995 Page(s):12 - 31     </li> </ol>				
			AbstractPlus   Full Text: PDF(1748 KB) IEEE JNL				
			<ol> <li>High-level power modeling, estimation, and optimization         Macii, E.; Pedram, M.; Somenzi, F.;         Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on Volume 17, Issue 11, Nov. 1998 Page(s):1061 - 1079     </li> </ol>				
			AbstractPlus   References   Full Text: PDF(300 KB)   IEEE JNL				
			6. Bandwidth-efficient wireless multimedia communications Hanzo, L.; Proceedings of the IEEE Volume 86, Issue 7, July 1998 Page(s):1342 - 1382				
			AbstractPlus   References   Full Text: PDF(732 KB)   IEEE JNL				

- 7. Proceedings of the 1998 IEEE International Symposium on Circuits and Systems Circuits and Systems, 1998. ISCAS '98. Proceedings of the 1998 IEEE International Symposium on Volume 3, 31 May-3 June 1998 Page(s):0\_2 - xlv AbstractPlus | Full Text: PDF(4684 KB) | IEEE CNF
- 8. Proceedings of the 1998 IEEE International Symposium on Circuits and Systems Circuits and Systems, 1998. ISCAS '98. Proceedings of the 1998 IEEE International Symposium on Volume 1, 31 May-3 June 1998 Page(s):0\_3 - xlv AbstractPlus | Full Text: PDF(3652 KB) IEEE CNF
- 9. ISCAS '98 Proceedings of the 1998 IEEE International Symposium on Circuits and Systems Circuits and Systems, 1998. ISCAS '98. Proceedings of the 1998 IEEE International Symposium on Volume 6, 31 May-3 June 1998 Page(s):0\_2 - xiv AbstractPlus | Full Text: PDF(5136 KB) IEEE CNF
- 10. Proceedings Of The 1998 IEEE International Symposium On Circuits And Systems Circuits and Systems, 1998. ISCAS '98. Proceedings of the 1998 IEEE International Symposium on Volume 2, 31 May-3 June 1998 Page(s):0\_2 - xlv AbstractPlus | Full Text: PDF(5572 KB) IEEE CNF

Indexed by **#Inspec**  Help Contact Us Privacy & Security IEEE.org © Copyright 2005 IEEE - All Rights Reserved



